



Price List

valid from: 01.06.2009

RAYTEC PRICE LIST - June 2009

PLATINUM IR Series - Ultra High Power

Includes Standard PSU

Videor
Listprice
EUR

Type	Description	
RM300-PLT-AI-10	RAYMAX 300 10-30° Platinum Adaptive Illumination 850nm inc PSU	1.948,00 €
RM300-PLT-AI-30	RAYMAX 300 30-90° Platinum Adaptive Illumination 850nm inc PSU	1.948,00 €
RM300-PLT-AI-50	RAYMAX 300 50-180° Platinum Adaptive Illumination 850nm inc PSU	1.948,00 €
RM200-PLT-AI-10	RAYMAX 200 10-20° Platinum Adaptive Illumination 850nm inc PSU	1.454,00 €
RM200-PLT-AI-30	RAYMAX 200 30-60° Platinum Adaptive Illumination 850nm inc PSU	1.454,00 €
RM200-PLT-AI-50	RAYMAX 200 50-100° Platinum Adaptive Illumination 850nm inc PSU	1.454,00 €
RM100-PLT-AI-10	RAYMAX 100 10-20° Platinum Adaptive Illumination 850nm inc PSU	1.028,00 €
RM100-PLT-AI-30	RAYMAX 100 30-60° Platinum Adaptive Illumination 850nm inc PSU	1.028,00 €
RM100-PLT-AI-50	RAYMAX 100 50-100° Platinum Adaptive Illumination 850nm inc PSU	1.028,00 €

940nm Options Available at the same price. Add -C to codes above.

5 degree versions available for Ultimate distance

RAYMAX Series - Hi Power Infra-Red

ULTIMATE ADAPTIVE ILLUMINATION PRODUCTS - TRIPLE PANEL

RAYMAX 300 - includes standard PSU

RM300-AI-10	RAYMAX 300, 10-30 degree Adaptive Illumination, 850nm, inc PSU	1.948,00 €
RM300-AI-30	RAYMAX 300, 30-90 degree Adaptive Illumination, 850nm, inc PSU	1.811,00 €
RM300-AI-50	RAYMAX 300, 50-180 degree Adaptive Illumination, 850nm, inc PSU	1.811,00 €
RM300-AI-120	RAYMAX 300, 120-180+ degree Adaptive Illumination, 850nm, inc PSU	1.811,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

RAYMAX 150 - includes standard PSU

RM150-AI-30	RAYMAX 150 30-100° Adaptive Illumination 850nm inc PSU	1.155,00 €
RM150-AI-50	RAYMAX 150 50-180° Adaptive Illumination 850nm inc PSU	1.155,00 €
RM150-AI-120	RAYMAX 150 120-180°+ Adaptive Illumination 850nm inc PSU	1.155,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

PLATINUM versions available

ADAPTIVE ILLUMINATION PRODUCTS

RAYMAX 200 - includes standard PSU

RM200-AI-10	RAYMAX 200, 10-20 degree Adaptive Illumination, 850nm, inc PSU	1.454,00 €
RM200-AI-30	RAYMAX 200, 30-60 degree Adaptive Illumination, 850nm, inc PSU	1.321,00 €
RM200-AI-50	RAYMAX 200, 50-100 degree Adaptive Illumination, 850nm, inc PSU	1.321,00 €
RM200-AI-120	RAYMAX 200, 120-180 degree Adaptive Illumination 850nm, inc PSU	1.321,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

Low Voltage Options Available

RAYMAX 100 - includes standard PSU

RM100-AI-10	RAYMAX 100, 10-20 degree Adaptive Illumination, 850nm, inc PSU	1.028,00 €
RM100-AI-30	RAYMAX 100, 30-60 degree Adaptive Illumination, 850nm, inc PSU	763,00 €
RM100-AI-50	RAYMAX 100, 50-100 degree Adaptive Illumination, 850nm, inc PSU	763,00 €
RM100-AI-120	RAYMAX 100, 120-180 degree Adaptive Illumination 850nm, inc PSU	763,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

Low Voltage Options Available

RAYMAX 50 - includes standard PSU

RM50-AI-30	RAYMAX 50, 30-60 degree Adaptive Illumination, 850nm, inc PSU	411,00 €
RM50-AI-50	RAYMAX 50, 50-100 degree Adaptive Illumination, 850nm, inc PSU	411,00 €

RM50-AI-120 RAYMAX 50, 120-180 degree Adaptive Illumination 850nm 411,00 €
 940nm Options Available. Add -C to codes above. Same price as 10 degree model
 Low Voltage Options Available - see below

RAYMAX 25 - includes standard PSU - non AI

RM25-30 RAYMAX 25, 30 degree, 850nm, inc PSU 290,00 €

RM25-50 RAYMAX 25, 50 degree, 850nm, inc PSU 290,00 €

RM25-120 RAYMAX 25, 120 degree, 850nm, inc PSU 290,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

Low Voltage Options Available - see below

RAYMAX ILLUMINATORS WITH LOW VOLTAGE PSU

RAYMAX 50 - includes standard PSU - low voltage input

RM50-AI-30-LVP RAYMAX 50, 30-60 degree AI 850nm, 12-24V PSU input 493,00 €

RM50-AI-50-LVP RAYMAX 50, 50-100 degree AI 850nm, 12-24V PSU input 493,00 €

RM50-AI-120-LVP RAYMAX 50, 120-180 degree AI 850nm, 12-24V PSU input 493,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

RAYMAX 25 - includes standard PSU - low voltage input - non AI

RM25-30-LVP RAYMAX 25, 30 degree, 850nm, 12-24V PSU input 348,00 €

RM25-50-LVP RAYMAX 25, 50 degree, 850nm, 12-24V PSU input 348,00 €

RM25-120-LVP RAYMAX 25, 120 degree, 850nm, 12-24V PSU input 348,00 €

940nm Options Available. Add -C to codes above. Same price as 10 degree model

RAYMAX ILLUMINATORS WITH PoE INPUT - For Internal Applications Only

RAYMAX 25 IP SERIES - includes integrated PSU, can be powered via PoE or 12-24V

RM25-30-IP RAYMAX 25, 30 degree, 850nm, PoE compatible 319,00 €

RM25-50-IP RAYMAX 25, 50 degree, 850nm, PoE compatible 319,00 €

RM25-120-IP RAYMAX 25, 120 degree, 850nm, PoE compatible 319,00 €

940nm Options Available at the same price. Add -C to codes above.

RAYLUX Series - Hi Power White-Light

All RAYLUX products are now powered by Platinum technology.

ULTIMATE ADAPTIVE ILLUMINATION PRODUCTS - TRIPLE PANEL

RAYLUX 300 - includes standard PSU

RL300-AI-10 RAYLUX 300, 10-30 degree Adaptive Illumination, White-Light, inc PSU 1.948,00 €

RL300-AI-30 RAYLUX 300, 30-90 degree Adaptive Illumination, White-Light, inc PSU 1.811,00 €

RL300-AI-50 RAYLUX 300, 50-180 degree Adaptive Illumination, White-Light, inc PSU 1.811,00 €

RL300-AI-120 RAYLUX 300, 120-180+ degree Adaptive Illumination, White-Light, inc PSU 1.811,00 €

RAYLUX 150 - includes standard PSU

RL150-AI-30 RAYLUX 150 30-90 degree Adaptive Illumination, White-Light, inc PSU 1.223,00 €

RL150-AI-50 RAYLUX 150 50-180 degree Adaptive Illumination, White-Light, inc PSU 1.223,00 €

RL150-AI-120 RAYLUX 150 120-180+ degree Adaptive Illumination, White-Light, inc PSU 1.223,00 €

ADAPTIVE ILLUMINATION PRODUCTS

RAYLUX 200 - includes standard PSU

RL200-AI-10 RAYLUX 200, 10-20 degree Adaptive Illumination, White-Light, inc PSU 1.454,00 €

RL200-AI-30 RAYLUX 200, 30-60 degree Adaptive Illumination, White-Light, inc PSU 1.321,00 €

RL200-AI-50 RAYLUX 200, 50-100 degree Adaptive Illumination, White-Light, inc PSU 1.321,00 €

RL200-AI-120 RAYLUX 200, 120-180 degree Adaptive Illumination, White-Light, inc PSU 1.321,00 €

Low Voltage Options Available

RAYLUX 100 - includes standard PSU

RL100-AI-10	RAYLUX 100, 10-20 degree Adaptive Illuminatioin, White-Light, inc PSU	840,00 €
RL100-AI-30	RAYLUX 100, 30-60 degree Adaptive Illumination, White-Light, inc PSU	763,00 €
RL100-AI-50	RAYLUX 100, 50-100 degree Adaptive Illumination, White-Light, inc PSU	763,00 €
RL100-AI-120	RAYLUX 100, 120-180 degree Adaptive Illumination, White-Light, inc PSU	763,00 €

Low Voltage Options Available

RAYLUX 50 - includes standard PSU

RL50-AI-30	RAYLUX 50, 30-60 degree Adaptive Illumination, White-Light, inc PSU	493,00 €
RL50-AI-50	RAYLUX 50, 50-100 degree Adaptive Illumination, White-Light, inc PSU	493,00 €
RL50-AI-120	RAYLUX 50, 120-180 degree Adaptive Illumination, White-Light, inc PSU	493,00 €

Low Voltage Options Available - see below

RAYLUX 25 - includes standard PSU - non AI

RL25-30	RAYLUX 25, 30 degree, White-Light, inc PSU	319,00 €
RL25-50	RAYLUX 25, 50 degree, White-Light, inc PSU	319,00 €
RL25-120	RAYLUX 25, 120 degree, White Light, inc PSU	319,00 €

Low Voltage Options Available - see below

RAYLUX ILLUMINATORS WITH LOW VOLTAGE PSU

RAYLUX 50 - includes standard PSU - low voltage input

RL50-AI-30-LVP	RAYLUX 50, 30-60 degree A.I, White-Light, 12-24V PSU	632,00 €
RL50-AI-50-LVP	RAYLUX 50, 50-100 degree A.I, White-Light, 12-24V PSU	632,00 €
RL50-AI-120-LVP	RAYLUX 50, 120-180 degree A.I, White-Light, 12-24V PSU	632,00 €

RAYLUX 25 - includes standard PSU - low voltage input- non AI

RL25-30-LVP	RAYLUX 25, 30 degree, White-Light, 12-24V PSU	415,00 €
RL25-50-LVP	RAYLUX 25, 50 degree, White-Light, 12-24V PSU	415,00 €
RL25-120-LVP	RAYLUX 25, 120 degree, White Light, 12-24V PSU	415,00 €

HYBRID Series - IR + White-Light

HYBRID 300 - includes standard PSU

HY300-10	HYBRID 300, 2 x 10 deg IR, 850nm, 10 degree White-Light, AI, inc PSU	1.948,00 €
HY300-30	HYBRID 300, 2 x 30 deg IR, 850nm, 30 degree White-Light, AI, inc PSU	1.811,00 €
HY300-50	HYBRID 300, 2 x 50 deg IR, 850nm, 50 degree White-Light, AI, inc PSU	1.811,00 €
HY300-120	HYBRID 300, 2 x 120 deg IR, 850nm, 120 degree White-Light, AI, inc PSU	1.811,00 €

Mixed angles available

HYBRID 200 - includes standard PSU

HY200-10	HYBRID 200, 10 degree IR, 850nm, 10 degree White-Light, AI, inc PSU	1.454,00 €
HY200-30	HYBRID 200, 30 degree IR, 850nm, 30 degree White-Light, AI, inc PSU	1.321,00 €
HY200-50	HYBRID 200, 50 degree IR, 850nm, 50 degree White-Light, AI, inc PSU	1.321,00 €
HY200-120	HYBRID 200, 120 degree IR, 850nm, 120 degree White-Light, AI, inc PSU	1.321,00 €

Mixed angles available

HYBRID 150 - includes standard PSU

HY150-10	HYBRID 150, 2 x 10 deg IR, 850nm, 10 degree White-Light, AI, inc PSU	1.270,00 €
HY150-30	HYBRID 150, 2 x 30 deg IR, 850nm, 30 degree White-Light, AI, inc PSU	1.155,00 €
HY150-50	HYBRID 150, 2 x 50 deg IR, 850nm, 50 degree White-Light, AI, inc PSU	1.155,00 €
HY150-120	HYBRID 150, 2 x 120 deg IR, 850nm, 120 degree White-Light, AI, inc PSU	1.155,00 €

Mixed angles available

HYBRID 100 - includes standard PSU

HY100-10	HYBRID 100, 10 degree IR, 850nm, 10 degree White-Light, AI, inc PSU	924,00 €
HY100-30	HYBRID 100, 30 degree IR, 850nm, 30 degree White-Light, AI, inc PSU	840,00 €
HY100-50	HYBRID 100, 50 degree IR, 850nm, 50 degree White-Light, AI, inc PSU	840,00 €

HY100-120	HYBRID 100, 120 degree IR, 850nm, 120 degree White-Light, AI, inc PSU	840,00 €
<i>Mixed angles available</i>		

Specialist Lighting

Optex compatible CCTV illuminators

RM50-30-OPT	RAYMAX 50 - 30 Deg - IR illumination for Optex RedWatch inc.PSU	517,00 €
RL50-30-OPT-PRT	RAYLUX 50 - 30 Deg - Quick Start WL for Optex Redwatch inc PSU/Timer	607,00 €

PLATINUM TWIN ILLUMINATION SYSTEM DESIGNED FOR PAN AND TILTS

Includes Standard PSU

RM200-PLT-10-10	Raymax 200, 10 + 10 Degree Twin Platinum Illumination, 850nm, inc PSU	1.454,00 €
RM200-PLT-10-30	Raymax 200, 10 + 30 Degree Twin Platinum Illumination, 850nm, inc PSU	1.454,00 €
RM200-PLT-10-50	Raymax 200, 10 + 50 Degree Twin Platinum Illumination, 850nm, inc PSU	1.454,00 €
RM100-PLT-10-10	Raymax 100, 10 + 10 Degree Twin Platinum Illumination, 850nm, inc PSU	1.028,00 €
RM100-PLT-10-30	Raymax 100, 10 + 30 Degree Twin Platinum Illumination, 850nm, inc PSU	1.028,00 €
RM100-PLT-10-50	Raymax 100, 10 + 50 Degree Twin Platinum Illumination, 850nm, inc PSU	1.028,00 €

940nm Options Available at the same price. Add -C to codes above.

RAYMAX / RAYLUX Power Supply Options

Special Feature Power Supplies

Standard PSU	Standard PSU for all RAYMAX and RAYLUX products include: current controlled power output, power adjustment pot, photocell for automatic day/night switching, photocell adj pot telemetry input for remote swithcing	
~ PR Premium PSU	Includes all of the features of the standard PSU, PLUS: Photocell following contact for switching of dual mode cameras and 12V dc output for powering cameras etc. TO ORDER: Add ~ PR to product code	59,00 €
~PU Pulsed PSU	Specifically designed for pulsing Raytec lamps and synchronising with cameras. Pulsed PSUs include: Power Adjustment, Video In and Video Out connections to sync lamp and camera, 12V dc output for powering cameras etc. RM25/RL25 and RM50/RL50 Series RM100 /RL100 and RM200/RL200 Series TO ORDER: Add ~ PU to product code	235,00 € 117,00 €
~PRT Premium with Timer	Includes all the features of the standard and premium PSU, PLUS; Adjustable time feature allowing the illumination to remain on for a set period following a volt free input. TO ORDER: Add ~ PRT to product code	88,00 €

Twin & Multiple PSUs Available on request

Notes on RAYMAX / RAYLUX special feature PSU's:

To order add the part code as a suffix to the original part code and add the price to the price of the original product. eg: RM 20

The special feature PSU's are not ordered as a separate line item

RAYMAX / RAYLUX Bracketry Options

SB1	Single bracket for Top Pan/Tilt mount	37,00 €
DB2	Twin bracket for Top Pan/Tilt mount	49,00 €
WB1	Wall Bracket - L Bracket	23,00 €

PB-360	Pole Bracket - 360 degree to mount up to 8 units	59,00 €
PB-180	Pole Bracket - 180 degree to mount up to 4 units	49,00 €
PBC-1	Pole bracket Clamp for Raymax or Raylux products	39,00 €
PBC-2	Pole bracket Clamp for PSU and Lamp. RAYMAX or RAYLUX products	69,00 €
PBC-1-PSU	Pole Bracket Clamp for illuminator + PSU (to suit RM/RL25, 50, 100, 200)	69,00 €

VOYAGER - Number Plate Capture Cameras

All Voyagers cameras are provided with a power supply unit and U Bracket

Voyager 2

RV2-20	Voyager 2 integrated number plate capture camera, 20m	1.948,00 €
RV2-30	Voyager 2 integrated number plate capture camera, 30m	2.143,00 €
RV2-40	Voyager 2 integrated number plate capture camera, 40m	2.339,00 €
RV2-20-OV	Voyager 2 integrated number plate capture camera, 20m, plus colour overview camera	2.829,00 €
RV2-30-OV	Voyager 2 integrated number plate capture camera, 30m, plus colour overview camera	3.024,00 €
RV2-40-OV	Voyager 2 integrated number plate capture camera, 40m, plus colour overview camera	3.220,00 €

Voyager 2 LITE

RV2-LT-06	Voyager 2 LITE integrated number plate capture camera, 06m, plus PSU	1.556,00 €
RV2-LT-12	Voyager 2 LITE integrated number plate capture camera, 12m, plus PSU	1.693,00 €
RV2-LT-18	Voyager 2 LITE integrated number plate capture camera, 18m, plus PSU	1.830,00 €

FUSION Low Voltage Lighting

Fusion: a complete range of Low Voltage Infra-Red and White-Light illuminators

All Fusion illuminators include as standard:

Low Voltage Input - 12/24V AC/DC

In-built photocell for automatic day/night switching

Photocell following output

Power Adjust and Photocell Level Adj

FUSION 100 models also feature a telemetry input for remote switching

FUSION 100

12/24V AC/DC Input, In-built Photocell, Telemetry Input
Power Adjust, P/Cell Following Output, Photocell Level Adjust

RM100-F-10	RAYMAX 100 FUSION, 10 degree, 850nm - Low Voltage	671,00 €
RM100-F-30	RAYMAX 100 FUSION, 30 degree, 850nm - Low Voltage	611,00 €
RM100-F-50	RAYMAX 100 FUSION, 50 degree, 850nm - Low Voltage	611,00 €
RM100-F-120	RAYMAX 100 FUSION, 120 degree, 850nm - Low Voltage	611,00 €

FUSION 50

12/24V AC/DC Input, In-built Photocell
Power Adjust, P/Cell Following Output, Photocell Level Adjust

RM50-F-10	RAYMAX 50 FUSION, 10 degree, 850nm - Low Voltage	362,00 €
RM50-F-30	RAYMAX 50 FUSION, 30 degree, 850nm - Low Voltage	329,00 €
RM50-F-50	RAYMAX 50 FUSION, 50 degree, 850nm - Low Voltage	329,00 €
RM50-F-120	RAYMAX 50 FUSION, 120 degree, 850nm - Low Voltage	329,00 €

FUSION 25

12/24V AC/DC Input, In-built Photocell
Power Adjust, P/Cell Following Output, Photocell Level Adjust

RM25-F-10	RAYMAX 25 FUSION, 10 degree, 850nm - Low Voltage	254,00 €
RM25-F-30	RAYMAX 25 FUSION, 30 degree, 850nm - Low Voltage	231,00 €
RM25-F-50	RAYMAX 25 FUSION, 50 degree, 850nm - Low Voltage	231,00 €
RM25-F-120	RAYMAX 25 FUSION, 120 degree, 850nm - Low Voltage	231,00 €

FUSION 100	12/24V AC/DC Input, In-built Photocell, Telemetry Input Power Adjust, P/Cell Following Output, Photocell Level Adjust	
RL100-F-10	RAYLUX 100 FUSION, 10 degree, White-Light - Low Voltage	671,00 €
RL100-F-30	RAYLUX 100 FUSION, 30 degree, White-Light - Low Voltage	611,00 €
RL100-F-50	RAYLUX 100 FUSION, 50 degree, White-Light - Low Voltage	611,00 €
RL100-F-120	RAYLUX 100 FUSION, 120 degree, White-Light - Low Voltage	611,00 €
FUSION 50	12/24V AC/DC Input, In-built Photocell Power Adjust, P/Cell Following Output, Photocell Level Adjust	
RL50-F-10	RAYLUX 50 FUSION, 10 degree, White-Light - Low Voltage	362,00 €
RL50-F-30	RAYLUX 50 FUSION, 30 degree, White-Light - Low Voltage	329,00 €
RL50-F-50	RAYLUX 50 FUSION, 50 degree, White-Light - Low Voltage	329,00 €
RL50-F-120	RAYLUX 50 FUSION, 120 degree, 850nm - Low Voltage	329,00 €
FUSION 25	12/24V AC/DC Input, In-built Photocell Power Adjust, P/Cell Following Output, Photocell Level Adjust	
RL25-F-10	RAYLUX 25 FUSION, 10 degree, White-Light - Low Voltage	254,00 €
RL25-F-30	RAYLUX 25 FUSION, 30 degree, White-Light - Low Voltage	231,00 €
RL25-F-50	RAYLUX 25 FUSION, 50 degree, White-Light - Low Voltage	231,00 €
RL25-F-120	RAYLUX 25 FUSION, 120 degree, White-Light - Low Voltage	231,00 €

WARRIOR II - Explosion Protected Lighting

INFRA-RED Series

RMW2-200-10	RAYMAX Warrior, 10 degrees	1.948,00 €
RMW2-200-30	RAYMAX Warrior, 30 degrees	1.948,00 €
RMW2-200-50	RAYMAX Warrior, 50 degrees	1.948,00 €
RMW2-200-120	RAYMAX Warrior, 120 degrees	1.948,00 €

White -Light Series

RLW2-200-10	RAYLUX Warrior, 10 degrees	1.948,00 €
RLW2-200-30	RAYLUX Warrior, 30 degrees	1.948,00 €
RLW2-200-50	RAYLUX Warrior, 50 degrees	1.948,00 €
RLW2-200-120	RAYLUX Warrior, 120 degrees	1.948,00 €