WISENET SLA-T4680DA







SLA-T4680DA

Doorjam camera for PNM-9000QB, XNB-6002





FC CULSTED CE EM





Key Features

- Compatible with XNB-6001 not included
- 2 Megapixel (1920 x 1080) resolution
- 4.6mm pinhole lens
- 0.06Lux@F2.5
- 8m cable
- Easy installation
- \bullet Flexible panning \pm 30 degrees
- Multiple housing color options to match the door jamb
- Hidden security screw for discrete look
- Includes lens & housing





SLA-T4680DA

Doorjam camera for PNM-9000QB, XNB-6002

Specifications

1/2.8" 2M CMOS
Color: 0.06Lux(F2.5) BW: 0.06Lux(F2.5) * with PNM-9000QB, XNB-6002
4.6mm fixed focal
F2.5
H:73°/V:39°/D:85°
0.3m(0.98ft)
Fixed
RJ12 connected with main unit
Flexible panning -30°~30°
-10°C ~ +55°C (+14°F ~ +131°F) / 0 ~ 90% RH
-50°C ~+60°C (-58°F ~ +140°F) / 0 ~ 90% RH
Housing : Black / Plastic Lens : Black / Plastic, Aluminum
Housing: 42.9(W)x33.0(H)x170.0(D)mm(1.69"x1.30"x6.69"), 70g(0.15lb) Lens: 30(W)x27.9(H)x45(D)mm(1.18"x1.10"x1.77"), 41g(0.09lb) Cable: 8m(26.2ft)





SLA-T4680DA

Doorjam camera for PNM-9000QB, XNB-6002

CAD Unit: mm [inch]

